Point Spring & Driveshaft Co.

Since 1926

PARTS • SERVICE • EXPERIENCE • SOLUTIONS

New Pig

WIP550

25400 “while supplies last”

45300

WIP547

MAT204

MAT423

Part Number	Description	Price
MAT204	Lightweight, 15” x 20”, 200 Pads. Eight layers of 100% polypropylene are thermally bonded to make PIG Mat the strongest mat on the market; won’t rip, tear or fray even when saturated. Absorbs most common industrial liquids - oils, water, solvents, coolants and more.	65.00
25400 “while supplies last”	Medium weight, 30” x 150’ roll. Eight layers of 100% polypropylene are thermally bonded to make PIG Mat the strongest mat on the market; won’t rip, tear or fray even when saturated. Absorbs most common industrial liquids - oils, water, solvents, coolants and more.	110.00
MAT423	Lightweight, 15” x 20”, 200 Pads. New Pig’s most cost-effective mat when you only need to absorb oil-based liquids. Eight layers of 100% polypropylene are thermally bonded to make PIG Mat the strongest mat on the market; won’t rip, tear or fray even when saturated. Absorbs oil and fuels, NOT water.	65.00
WIP550	Reclaimed rags, t-shirt, bag-compressed. Strict material and size requirements mean you get more usable, high quality rags in every package. No useless rag pieces! Durable, laundered, low-lint material is ideal for staining, wiping, polishing and other general-use tasks.	22.00
WIP547	Shop Towels, Bag – Loose. First-quality 100% cotton contains no rips, metallic content or other contaminants. Prewashed towels are soft and absorbent right out of the bag. Hemmed edges won’t unravel or leave lint. Washable rags can be reused after laundering.	20.00
45300	Kit Includes: (2) – Universal absorbent socks, (20) – 12” x 20” universal medium-weight absorbent mat pads. Mat Pads and Socks safely soak up and retain oil, coolants, water, grease, gasoline, solvents, auto fluids, paint overspray, battery acid and most other liquids. Bright nylon bag stands out and compact size is ideal for fleet vehicles, individual workstations or other tight spaces.	68.00

www.pointspring.com

Promotional pricing valid 10/1/2026 - 12/31/2026

Donaldson
FILTRATION SOLUTIONS

Complete Coverage from End to End

Contact your Point Spring representative for more information

PSD Point Spring & Driveshaft Co.
Since 1926

neapco

THE DRIVELINE EXPERTS

Common U-Joints by Driveline Series

	Driveline Series	Genuine Neapco (Zerk in Journal Cross)	Genuine Neapco (Zerk in Bearing Cup)	Neapco OE	Neapco Performance	Bearing Strap Kit	U-Bolt Kit
Light Duty	1000	1-0170	1-0171				
	1210		1-0443				
	1310	1-0153	1-0154	1-0153G	1-0153P	1-0022 or 1-0024	1-0089
	1310 Wheel Joint	1-0174	1-0175				
	1310/1330	1-0134					
	1310/1350	3-3140					
	1310/3R	3-3130					
	1310/7260	2-3100					
	1310/7290	3-3131					
	1330	2-4800	2-4801	2-4800G	2-4800P	1-0022 or 1-0024	1-0089
	1330/1350	2-3050					
	1330/3R	2-1569		2-1569G	2-1569P		
	1330/7260	2-0599					
	1330/7290	2-0355		2-0355G			
	P55-55-675	2-4900		2-4900G	2-4900P		1-0189
	3R	2-3011		2-3011G	2-3011P	1-0025	
	3R/7290	3-3133					
	7260	1-6301	1-6300			1-0023	
	7260/7290		2-0527				
	7290	2-1175		2-1175G	2-1175P	1-0018	
	1350	2-0053	2-0052	2-0053G	2-0053P	1-0019 or 1-0020	1-0099
	1350 Wheel Joint	2-0057					
	1350/1410	2-1435					
	1350/3R	2-1153					
	1350/7290	2-5375					
	1355			2-1355G	2-1355P	1-0030	
	1410	2-0054		2-0054G	2-0054P	1-0019 or 1-0020	1-0099
	1410/1480	3-1448					
	1415	3-0415					
	1480	3-0188		3-0188G	3-0188P	1-0021	1-0109
	1480 Wheel Joint	3-0332					
	1485	3-0486				1-0030	
	1485 Wheel Joint	3-0485					
	1550	3-0155		3-0155G	3-0155P	1-0021	1-0109
	1550/SPL70 Wheel Joint	3-0157					
Heavy Duty	1610	4-0279					
	1610 Half Round	4-0674				1-0045	
	1710	5-0280					
	1710/1810	1-2865					
	1710 Half Round	6-0675				1-0046	
	1760	6-0407					
	1760 Half Round	6-0677				1-0046	
	1810	6-0281					
	1810 Half Round	6-0676				1-0046	
	RPL20			6-0020		NKIT-RPL-25-20	
	RPL25			6-0025		NKIT-RPL-25-20	
	SPL90/100	4-1090				N90-70-28X	
	NPL170/SPL170	6-1170		6-0170		N170-70-08X or N170-70-18X	
	NPL250/SPL250	6-1250		6-0250		N250-70-08X or N250-70-18X	
	NPL350/SPL350			6-0350		N350-70-18X	

Space Saving for Automatic Transmission Applications

Commercial Hydraulics SG102 Dump Pump

Reduced Dump Truck Cycle Time

Large Dump Pump Performance in a More Compact Design:

The SG102 Dump Pump is part of Parker's family of Commercial Hydraulics truck pumps. Building upon the technology of the industry standard C102/G102 pumps, the innovative SG102 Dump Pump provides a 37% faster dumping cycle versus the standard G102.

The pump is designed to fit where space is limited, but greater flow is still a necessity. The SG102 Dump Pump utilizes the valve body of the larger frame size C Series dump pump, providing large dump pump flow characteristics for a faster dump cycle time, yielding greater work cycle efficiency.

The dump truck industry will benefit from the improved power density as well as safety due to the quicker cycle time for the bed to return prior to the operator moving from the job site location.

Commercial Hydraulics

Contact Information:

Parker Hannifin Corporation
Pump & Motor Division
101 Canterbury Road
Kings Mountain, NC 28086

phone 888 700 7531
GPDCustomerService@parker.com

www.parker.com/pmd

Product Features:

- 25% greater flow than G102 2" dump pump
- 20% less weight than the C102 2.5" dump pump
- Large pump valve body flow characteristics
- 4-Bolt B or 4-Bolt DIN flange
- 13T B or 8T DIN shaft
- Pressures to 2500 PSI
- Manual or air shift option

Parker

ENGINEERING YOUR SUCCESS.

PSD Point Spring & Driveshaft Co.
Since 1926

TECTRAN
Solutions for Transportation Equipment

- Use with 90° female plug for Meritor/Wabco style system
- Detach adapter for use with Haldex and Bendix style system



Removable 90° Female Plug
patent pending



Part No.	Stk. Code	Length
AE040W	13802	40"
AE050W	13803	50"
AE054W	13826	54"
AE072W	13804	72"
AE078W	13827	78"
AE120W	13805	120"
AE192W	13806	192"

ABS SENSOR EXTENSION - STRAIGHT MALE & FEMALE PLUG

Part No.	Stk. Code	Length
AE040B	13822	40"
AE050B	13823	50"
AE054B	13799	54"
AE072B	13824	72"
AE078B	13800	78"
AE120B	13801	120"
AE192B	13825	192"



ABS SENSOR KIT - Includes Dielectric Grease

- Inhibits corrosion, chemical resistant, high dielectric strength

Part No.	Stk. Code	Length
AS012WK	13807	12"
AS018WK	13808	18"
AS054WK	13809	54"
AS078WK	13810	78"
AS090WK	13811	90"

ABS SENSOR TO HOSE CLIP

Part No.	Stk. Code	Sensor Cable Size
940-49	47131	.180" diameter
940-50	47203	.250" diameter

- Tethered clip locks the extension cable to the ABS sensor
- Universal fit

Part No.	Stk. Code
940-51	47245

Part No.	Stk. Code
AC034W	13812



GO WITH THE BRAND YOU CAN TRUST

FLEET & HEAVY-DUTY

FLEETRUNNER® HEAVY-DUTY WATER PUMPS



Complete Product Line, Competitive Pricing

SKUS FOR VIRTUALLY ANY HEAVY-DUTY/FLEET APPLICATION

Gates' FleetRunner Heavy-Duty Water Pump product line offers high quality pumps at competitive pricing with full coverage, so you can get all the parts you need. Install FleetRunner and keep your fleet on the road and out of the shop.

PSD Point Spring & Driveshaft Co.
Since 1926

GRAND ROCK
TRUCK EXHAUST SYSTEMS

STAINLESS STEEL

To help our customers with today's standard in exhaust tubing, Grand Rock offers a complete line of Stainless Steel products. Whether you need industry standard 409 Aluminized Stainless Steel or even longer life expectancy 304 (non-magnetic) Stainless Steel, we have the product for your needs. We're creating and adding additional Stainless Steel items on a regular basis, expanding our product line for our customers.

Material Type	Cold Rolled	Aluminized	409 Stainless	409 Aluminized Stainless	430 Stainless	304 Stainless
Used By Grand Rock?	YES! All Grand Rock Chrome, or Black Series start with this type of material.	YES! This was an industry standard for decades!	NO. However this is an industry standard throughout the automotive manufacturing world.	YES! This is a new Grand Rock standard when building newer emission replacement parts!	YES! Many of our heat shields are produced with this metal, not commonly used in exhaust tubing applications.	YES! Considered to be a premium grade of stainless and we are increasing our product availability regularly.
Cost	$	$$	$$$	$$$$	$$$$	$$$$$
Average Life Span	3-5 years, if left as an untreated surface.	5-10 years	8-10 years, if left as an untreated surface.	10-15 years	10-15 years	15+ years
Will A Magnet Stick?	YES	YES	YES	YES	YES	NO*
Can it be Polished?	YES	NO	YES	NO	YES	YES*

*** All Grand Rock 304 Stainless Steel is a "Mill Finish" or dull in color. It can be polished to a mirror-like finish (currently not available through Grand Rock). Multi-bend parts in 304 can have magnetic weld seams.**

KIT MASTERS
FAN CLUTCH EXPERTS

8055N

Freightliner
2008–2019
M2 & M2-112V
Cummins ISB

KYSOR-STYLE FAN CLUTCHES

NEW

AUTO LOCK "COME HOME" TECHNOLOGY

REPLACES
HORTON® 991455,
981455, 99A9649

TOROUE
Over 5,000 inch-pounds of Torque!

OURS LOOKS DIFFERENT BECAUSE IT IS DIFFERENT.

Direct replacement/upgrade for Horton® 991455 Fan Clutches

The superior design of the 8055N makes for easier and more affordable long-term maintenance. Converting your fan clutch upgrades it from a medium duty fan clutch to a heavy duty fan clutch. Our model is capable of handling a larger fan and will last longer than the competition.

This fan clutch requires air to disengage, so reversing the solenoid is required.
If solenoid is not reversible, you must purchase Part #3282.

Part Number	Price
8055N	785.00
8055NKIT	895.00

PSD Point Spring & Driveshaft Co.
Since 1926

PART NO. 1R12-1230

NEW PRODUCT ANNOUNCEMENT

GOODYEAR AIR SPRINGS by INFINITY ENGINEERED PRODUCTS

Introducing the 1R12-1230 Goodyear® Air Spring with

Integrated Damping Technology™

The latest innovation in air suspension technology is here: **Part No. 1R12-1230 Goodyear® Air Springs with Integrated Damping Technology!** Built to perform in demanding field conditions, this advanced air spring contains patent-pending features that generate the damping traditionally provided by external shock absorbers. **This spring has been designed, engineered, and tuned to match OE performance.** By reducing shock and vibration, the spring enhances operator comfort, minimizes fatigue during long hours in the cab, and protects sensitive equipment from excessive wear. The result: longer equipment life, less downtime, and greater efficiency.

In addition to the outstanding durability and long-life of other Goodyear® Air Spring products, this new product contains a patent-pending technology that generates the damping traditionally provided by external shock absorbers.
Unlike other commercially available offsets, our design is tuned to match OE performance.



PART NO. 1R12-1230

FITS: HendricksonC-34733

SIDE VIEW HEIGHT AND WIDTH



UPPER MOUNTING VIEW



LOWER MOUNTING VIEW



Point Spring & Driveshaft Co.
Since 1926

RETRAC

The HighRise™ folding rear entry step is an innovative accessory for semi trailers, box trucks and flat decks. It provides safer, easier access to the rear cargo area, featuring grated steel, high-traction treads. This model easily bolts onto virtually any 4" bumper beam and has an auto-stowing design to prevent the step from being damaged when backing up.

- Adds a safer step point for climbing into or out of the trailer or cargo area
- Auto-stowing polyurethane roller mechanism prevents damage when backing up
- Ergonomic design reduces strain and promotes worker health and wellness
- Easier rear access increases speed and efficiency on the job
- Counter-balanced design keeps step in stowed position during travel
- Fits 4" bumper beam on most semi trailers, box trucks and flat decks
  600-pound work load limit
- High-strength 7-gauge steel construction
- Protected by a highly durable black carbide powder coat finish
- Quick, easy, 4-bolt installation in minutes
- Grated steps provide exceptional traction, even when wet
- Assembled in the USA (may include imported hardware)

Part Number	Price
409924	225.00





Point Spring & Driveshaft Co.
Since 1926

AFTERMARKET PRESET®

Medium-Duty Hub Assemblies

Unlock savings and efficiency with the most advanced wheel hub in the industry.

ConMet's factory-assembled and pre-adjusted hub assemblies are now available for medium-duty service applications. Replacing your wheel ends with PreSet hubs saves hours compared to the time it would take to rebuild the same hub, putting your vehicle back on the road faster.

Please note: Medium-duty PreSet® hub assemblies are not compatible with PreSet Plus® spindle nuts.

- Quick and easy installation
- Low maintenance
- Increased uptime
- Includes pre-adjusted ConMet bearings and premium ConMet wheel seal
- Best-in-class warranty and support from ConMet field sales and service organization
- Three-year/350,000-mile warranty



Time to Replace? Check Out Our App!

Use the ConMet App to discover how much you could save with PreSet replacement hubs and to identify the hub assembly that best fits your needs.

Available for iOS and Android or at conmet.com/app.

Learn about the aftermarket products we offer.

Point Spring & Driveshaft Co.
Since 1926

BedLock Safety Products, LLC

The BedLock BL-450A is a heavy-duty dump bed safety brace designed to support raised dump truck beds during maintenance and prevent accidental lowering.

Key Specifications & Features

- **Load Capacity:** Rated at 50,000 lbs per pair to safely support heavy single and tandem-axle dump bodies.
- **Frame Compatibility:** Fits truck frames up to 4.5 inches wide.
- **Design Type:** Features an "A" top style (5-3/4" wide with retaining sides) for secure placement against the truck
- frame/channels.
- **Quick Installation:** Installs in under two minutes using a dual-chain securing system without requiring special tools.
- **Safety Compliance:** Supports OSHA lockout/tagout procedures by allowing padlock hasps directly on the chains.

Part Number	Price
BL-450A	*1175.00*

Promotional pricing valid 10/1/2026 - 12/31/2026

POINT SPRING & DRIVESHAFT CO. LOCATIONS

NEVILLE ISLAND, PA
7309 Grand Avenue
Neville Island, PA 15225
Ph: 412-264-6714
Fx: 412-264-6722
(800) 837-4713

NEW CASTLE, PA
1001 Harbor Street
New Castle, PA 16101
Ph: 724-658-9076
Fx: 724-658-8746
(800) 837-8713

TROY, PA
68 Canton Street
Troy, PA 16947
Ph: 570-297-5555
Fx: 570-297-5510
(855) 297-6380

SARVER, PA
555 North Pike Road
Sarver, PA 16055
Ph: 724-352-3340
Fx: 724-352-5311

INDIANA, PA
1849 South Sixth
Street Suite 5
Indiana, PA 15701
Ph: 724-463-3710

GREENSBURG, PA
1967 Route 66
Greensburg, PA 15601
Ph: 724-834-0750
Fx: 724-834-8747
(800) 837-9713

MEADVILLE, PA
11377 Mercer Pike
Meadville, PA 16335
Ph: 814-724-7746
Fx: 814-724-7747
(800) 724-7751

CLEARFIELD, PA
1729 Industrial Park Rd.
P.O. Box 1206
Clearfield, PA 16830
Ph: 814-765-9684
Fx: 814-765-1577
(800) 252-3585

FAIRMONT, WV
274 Van Kirk Drive
Fairmont, WV 26554
Ph: 304-534-3306
Fx: 304-534-5079
(800) 837-1713

AKRON, OH
1250 Triplett Blvd.
Akron, OH 44306
Ph: 330-724-1111
Fx: 330-724-1895
(800) 826-0673

PSD
Point Spring & Driveshaft Co.
Since 1926
follow us on social media
Point Spring & Driveshaft Co.
@Pointspring1926