




BULK HEATER HOSE

Silicone Reinforced with Polyester



- Recommended temperature range 80F to 360F (60C to 180C)
- Designed for high temperature applications
- Resistance to ozone, UV, and harsh weather conditions
- Resistance to minor oil splash and petrochemical exposure
- Long service life
- Custom design meets flexibility and burst requirements
- Economical for a wide range of applications



Part Number	Inner Diameter	Overall Length	Replaces
561.11025	0.250	50	5526025x50
561.11025-25	0.250	25	5526025X25
561.11038-25	0.375	25	526038X25
561.11038	0.375	50	5526038X50
561.11038-600	0.375	600	5526038X600
561.11050	0.500	50	5526050X50
561.11050-25	0.500	25	5526050X25
561.11050-500	0.500	500	5526050X500
561.11062	0.625	50	5526062X50

Part Number	Inner Diameter	Overall Length	Replaces
561.11062-25	0.625	25	D10303625
561.11062-250	0.625	250	80062250
561.11075	0.750	50	5526075X50
561.11075-25	0.750	25	5526075X25
561.11075-250	0.750	250	80075250
561.11075-300	0.750	300	5526075X300
561.11100	1.000	50	5526100X50
561.11100-25	1.000	25	5526100X25
561.11100-200	1.000	200	5526100X200

KIT MASTERS

8055NKIT KYSOR-STYLE FAN CLUTCHES

Freightliner
2008-2019
M2 & M2-112V
Cummins ISB

NEW



REPLACES
HORTON® 991455,
981455, 99A9649



Kit Includes 3282
Solenoid Valve

OURS LOOKS DIFFERENT BECAUSE IT IS DIFFERENT.

Direct replacement/upgrade for Horton® 991455 Fan Clutches

FEATURE	HORTON®	KIT MASTERS
A TRUE FAIL-SAFE DESIGN Kit Masters' patented Auto Lock feature AUTOMATICALLY ENGAGES the fan clutch when the friction material nears the end of its life, preventing on-the-road failures.	NO	YES
INDUSTRY-BEST WARRANTY Because of years of continuous product improvement, Kit Masters' industry-best warranty is now even better!	1-Year/ 100,000 mile Non-Resetting	3-Year/ 300,000 mile Resetting
ROBUST AIR CHAMBER Kit Masters' air chamber is a robust design to improve longevity over the competition.	Air Fitting	Air Chamber
WEDGE STYLE FRICTION PLATE Kit Masters' wedge style friction plate is a superior, longer lasting, design over flat friction plates.	Flat Friction Plate	Wedge Style Friction Plate

Included with this kit is our 3-way Solenoid Valve NO-NC 125NPTF, 12VDC, Part #3282.



Learn more at
kitmastersuniversity.com

KIT MASTERS

FAN CLUTCH EXPERTS

825 1st St. NE, Perham, MN • 800-810-9110

www.KitMasters.com



PSD Point Spring & Driveshaft Co.
Since 1926



OTHERS JUST CAN'T COMPETE

GENUINE BENDIX®

NON-GENUINE



THE BA-921® COMPRESSORS ARE SPECIFICALLY USED ON THE DETROIT® DD13®, DD15® AND DD16® ENGINES.

Built to Compete. Remanufactured to last.

Contact your Bendix account representative to learn more about the genuine Bendix BA-921 remanufactured compressor today.

THE BA-921 COMPRESSORS ARE SPECIFICALLY USED ON THE DETROIT® DD13®, DD15® AND DD16® ENGINES.



**Now Available
with Gear
Fully Assembled.**

**K095124G
K095125G**

**Don't get burned by inferior parts.
Only genuine Bendix reman BA-921 compressors for
Detroit DD13, DD15 and DD16 engines are:**

- ✓ Remanufactured to OE clearances and specifications
- ✓ Tested to the highest standard using proprietary test specifications
- ✓ Expertly remanufactured to outlast any competitor

Bendix Reman Compressor	DDC PN	Bendix PN
2007 DD13, DD15 & DD16	RA4721300815	K095124G
2010 DD13, DD15 & DD16	RA4711302515	K095125G
2010 DD13, DD15 & DD16	RA0011307215	K095125G

Replacement Part Number	Description
K095125GX	Reman BA-921 Compressor W/ Gear
K095124GX	Reman BA-921 Compressor W/ Gear




THE DRIVELINE EXPERTS


NEW PRODUCT RELEASE!

ShaftSwap[®] Interaxle Driveshafts

- An economic alternative to stocking multiple Interaxle driveshaft assemblies.
- Made in the U.S.A.
- Designed, engineered, and manufactured to industry OEM standards
- Improves customer satisfaction by minimizing downtime



Style 3



Style 4

STYLE	PART#	SERIES	ADDITIONAL DETAILS	PRICE
3	N170-IAD-1747	N170	Allows for 5.90" travel 17.47" collapsed length to 23.37" extended length	1,135.99
4	N170-IAD-2012	N170	Allows for 4.33" travel 20.12" collapsed length to 24.45" extended length Includes 5.184" of 4.73" X .197 tube welded to stub shaft and weld yoke	1,135.99
4	N170-IAD-2200	N170	Allows for 4.33" travel 22.00" collapsed length to 26.33" extended length Includes 5.184" of 4.73" X .197 tube welded to stub shaft and weld yoke	1,135.99
4	N170-IAD-2400	N170	Allows for 6.33" travel 24.00" collapsed length to 28.33" extended length Includes 7.2" of 4.73" X .197 tube welded to stub shaft and weld yoke	1,164.99
4	N170-IAD-2642	N170	Allows for 4.33" travel 26.42" collapsed length to 30.75" extended length Includes 10.29" of 4.73" X .197 tube welded to stub shaft and weld yoke	1,164.99



Point Spring & Driveshaft Co.

Since 1926

Flatbed Solutions



Ratchet Strap Assemblies

Meets FMCSA and WSTDA T-1 standards for synthetic web tiedowns

2" Long-Wide Handle Ratchet Buckle Straps – WLL: 3,333 lbs./1,515 kgs.

with Flat Hooks

Weight:	6.4 lbs./2.9 kgs.	6.5 lbs./2.95 kgs.
Length:	27 ft	30 ft
Part No.:	2340 0227	2340 0230



with Chain Anchors

Weight:	11.5 lbs./5.22 kgs.	11.7 lbs./5.31 kgs.
Length:	27 ft	30 ft
Part No.:	2340 3227	2340 3230



with Wire Hooks

Weight:	6.3 lbs./2.86 kgs.	6.5 lbs./2.95 kgs.
Length:	27 ft	30 ft
Part No.:	2340 2227	2340 2230



Part Number	Description	Price
DC23400227	27 ft. 2" Long-Wide Handle Ratchet Buckle Straps - w/ Flat Hooks	20.99
DC23400230	30 ft 2" Long-Wide Handle Ratchet Buckle Straps - w/ Flat Hooks	24.99
DC23403227	27 ft 2" Long-Wide Handle Ratchet Buckle Straps - w/ Chain Anchors	48.99
DC23403230	30 ft 2" Long-Wide Handle Ratchet Buckle Straps - w/ Chain Anchors	87.99
DC23402227	27 ft 2" Long-Wide Handle Ratchet Buckle Straps - w/ Wire Hooks	22.99
DC23402230	30 ft 2" Long-Wide Handle Ratchet Buckle Straps - w/ Wire Hooks	22.99

QWIKKIT

KING PIN KITS



Top 5 Stocked Qwik Kit King Pin Kits

Part Number	Axle Rating	OEM Part#	OEM Axle Series	Tool
K130W Watson Chalin	1100 Series Tag Axle	SRK112,SRK98	1100 Series Tag Westport Axle	ST70-7
K201S Spicer/Dana/Eaton	20-22k	331435; 22KK300; 2599770C91	D2000F;D2200F axles	ST70-24
K536M Volvo Mack	20-23K	301SQ53	FXL20;FXL22 axles	no tool
KH931L Rockwell Meritor	20K	R200198; R201312	FL931; FL933; FL941; FL943; FH951; MFS20142A	ST70-12
K147E Spicer/Dana/ Eaton XC	10-14.6k	328347; 328349	E1002VW; E1202VW; E1322VW; E1462VW	ST70-23

QWIKTIE

VERSATILE. EFFICIENT. SAFE.



Qwik Tie Rod Assembly

Part Number	Axle Code	King Pin
QT967SS	FF-961, FF-966	K961L
	FF-981, FF-986	K981R
	02-ADD	K120I
QT108SB	FL-931, FL-941	KH931L
	E1462I/W	K147E
	EFA18F3, EFA20F4	K180E



Increased range adjusts to fit over 80% of tie rod assembly lengths in the market (57 3/8" to 73 3/8").



Point Spring & Driveshaft Co.

Since 1926



HEIGHT CONTROL VALVE

Trailer Height Control Valve

Height control valves manage air flow to the suspension's air springs to maintain consistent ride height. Using an Advanced Shear-Seal® design to ensure accurate air flow, Hendrickson Height Control Valves (HCV) deliver superior performance and durability – especially when combined with Hendrickson air suspensions. Hendrickson's universal height control valve is adaptable to all tractor, trailer and truck air suspensions, regardless of manufacturer, model or year. Hendrickson Genuine Parts.



HEIGHT CONTROL VALVE

FEATURES

Accurate air flow for superior performance

Fewer moving parts, large bearing surface areas

Barksdale's exclusive Shear Seal® technology - no rubber seal

Small mounting envelope

Zero delay dead band

Universal HCV: VS-227 & VS-228 w/ integral dump valve

TIMKEN



Timken® MileMate® Matched Bearing Sets for Longer Life

Timken Set Number	Timken Part Number	Common Application Description
Manually Adjusted Wheel Ends		
SET401	580, 572	Industry Standard R Drive Axle - Outer Bearing
SET402	582, 572	Potential R Drive Axle - Outer Bearing (Mack Special Radius)
SET403	594A, 592A	Industry Standard R Drive Axle - Inner Bearing
SET404	598A, 592A	Potential R Drive Axle - Inner Bearing (Mack Special Radius)
SET405	663, 653	Trailer Axle - Inner Bearing / Potential Rear (drive or trailer) Axle - Outer Bearing
SET406	3782, 3720	Industry Standard FF Steer Axle - Outer Bearing
SET407	28682, 28622	Rear Axle - Inner Bearing / Front Steer Axle - Outer Bearing
SET408	39590, 39520	Industry Standard L Drive Axle - Outer Bearing
SET409	45280, 45220	Front Steer Axle - Outer Bearing (Mack)
SET410	45284, 45220	Front Steer Axle - Inner Bearing
SET411	47686, 47620	Industry Standard L Drive Axle - Inner Bearing
SET412	HM212047, HM212011	Potential FF Steer Axle - Inner Bearing / Potential N Trailer Axle - Outer Bearing (bore and radius change)
SET413	HM212049, HM212011	Industry Standard FF Steer Axle - Inner Bearing / Industry Standard N Trailer Axle - Outer Bearing
SET414	HM218248, HM218210	Industry Standard N Trailer Axle - Inner Bearing
SET415	HM518445, HM518410	Industry Standard P Trailer Axle - Inner and Outer Bearing
SET416	45291, 45220	Trailer Axle Bearing
SET417	47890, 47820	Trailer Axle Bearing
SET418	H715334, H715311	Front Steer Axle - Inner Bearing
SET419	H715343, H715311	Front Steer Axle - Inner Bearing
SET420	H715345, H715311	Front Steer Axle - Inner Bearing

Timken Set Number	Timken Part Number	Common Application Description
SET421	HM516449A, HM516410	Rear Axle - Inner Bearing (Mack)
SET422	HM516449C, HM516410	Rear Axle - Inner Bearing (Mack)
SET423	6461A, 6420	Industry Standard FL Steer Axle - Inner Bearing
SET424	555-S, 552A	Industry Standard FL Steer Axle - Outer Bearing
SET425	567, 563	Front Steer Axle - Inner Bearing / Trailer Axle - Inner Bearing / Rear Axle - Outer Bearing (Mack)
SET426	47679, 47620	Rear Axle - Outer Bearing (Mack)
Manually Adjusted / 454-Series for Severe Duty and Wide Single Applications		
SET440*	NP454049, NP454011	Timken 454-Series FF Steer Axle - Inner Bearing / Timken 454-Series N Trailer Axle - Outer Bearing
SET441*	NP454248, NP454210	Timken 454-Series N Trailer Axle - Inner Bearing
SET442*	NP454580, NP454572	Timken 454-Series R Drive Axle - Outer Bearing
SET443*	NP454594, NP454592	Timken 454-Series R Drive Axle - Inner Bearing
SET444*	NP454445, NP454410	Timken 454-Series P Trailer Axle - Inner and Outer Bearing
SET495	NP454280, NP454220	Timken 454-Series Front Steer Axle - Outer Bearing (Mack)
SET496	NP454782, NP454720	Timken 454-Series Front Steer Axle - Outer Bearing
SET497	NP454461, NP454420	Timken 454-Series Front Steer Axle FL - Inner Bearing
SET498	NP454555, NP454552	Timken 454-Series Front Steer Axle FL - Outer Bearing
Pre-Adjusted Wheel Ends		
SET427*	NP899357, NP026773	Set-Right FF Steer Axle - Inner Bearing / Set-Right N Trailer Axle - Outer Bearing (ConMet PreSet)
SET428*	NP874005, NP435398	Set-Right FF Steer Axle - Outer Bearing (ConMet PreSet)
SET429*	NP034946, NP363298	Set-Right R Drive Axle - Inner Bearing (ConMet PreSet)
SET430*	NP840302, NP053874	Set-Right R Drive Axle - Outer Bearing (ConMet PreSet)

Timken Set Number	Timken Part Number	Common Application Description
SET431*	NP965350, NP503727	Set-Right N Trailer Axle - Inner Bearing (ConMet PreSet)
SET432*	NP174964, NP593561	Set-Right P Trailer Axle - Inner and Outer Bearing (ConMet PreSet)
SET433*	NP431952, NP378092	Set-Right FF Steer Axle - Inner Bearing / Set-Right N Trailer Axle - Outer Bearing (Dana LMS)
SET434*	NP555065, NP720703	Set-Right FF Steer Axle - Outer Bearing (Dana LMS)
SET435*	NP568900, NP107783	Set-Right R Drive Axle - Inner Bearing (Dana LMS)
SET436*	NP577914, NP975161	Set-Right R Drive Axle - Outer Bearing (Dana LMS)
SET437*	NP022333, NP250023	Set-Right N Trailer Axle - Inner Bearing (Dana LMS)
SET438*	NP417549, NP156827	Set-Right P Trailer Axle - Inner and Outer Bearing (Dana LMS)
SET439	HM212049X, HM212011	FF Steer Axle - Inner Bearing (Volvo Special Radius)
SET445*	NP294109, NP039695	Timken Set-Right FL Steer Axle - Inner Bearing (ConMet PreSet)
SET446*	NP107091, NP183330	Timken Set-Right FL Steer Axle - Outer Bearing (ConMet PreSet)
Pre-Adjusted / 454-Series for Severe Duty and Wide Single Applications		
SET600*	NP454946, NP454298	Timken 454-Series Set-Right R Drive Axle - Inner Bearing
SET601*	NP454302, NP454874	Timken 454-Series Set-Right R Drive Axle - Outer Bearing
SET602*	NP454350, NP454727	Timken 454-Series Set-Right N Trailer Axle - Inner Bearing
SET603*	NP454357, NP454773	Timken 454-Series Set-Right FF Steer Axle - Inner Bearing / Timken 454-Series Set-Right N Trailer Axle - Outer Bearing
SET604*	NP454964, NP454561	Timken 454-Series Set-Right P Trailer Axle - Inner and Outer Bearing
SET605	NP454005, NP454398	Timken 454-Series Set-Right Front Steer Axle - Outer Bearing

* Includes proprietary Timken part numbers

Note: The "NP" designation at the beginning of many part numbers identifies Timken proprietary designs with precise internal bearing geometry and enhanced surfaces engineered for longer-lasting operation.




DUAL-MODE
AM/FM



COBRA 29 LTD CLASSIC

PRODUCT OVERVIEW




Most Popular through Point Spring

Part Number	Description	Price
29LTD FM	Cobra 29 LTD Classic AM/FM	179.99



REPLACEMENT CYLINDER HEADS

CATERPILLAR®, CUMMINS®, DETROIT DIESEL®, & VOLVO® Engine Applications



MCB2239250A Inconel Cylinder Head Assembly



MCB5413782 Cummins ISX Dual Cam Cylinder Head Assembly

Interstate-McBee is now stocking replacement cylinder heads for our most popular applications. These precision machined heads arrive loaded with new intake and exhaust valves, valve springs, valve guides, and injector tubes. See our chart below for a current listing of our replacement cylinder heads. For additional details, contact the parts experts at Interstate-McBee.

Part Number	Description	OEM	Application	Reman Numbers
MCB1482144	Cylinder Head Assembly	Caterpillar®	C10/C12	0R9749, 0R9750, 10R8883, 10R8884
MCB3453752	Cylinder Head Assembly	Caterpillar®	C13 (KCB, JAM)	10R2602
MCB2239250A ★	Cylinder Head Assembly	Caterpillar®	C15/C18 Inconel Exhaust	10R9547, 20R2648, 20R1107, 20R1108, 20R1109, 20R1183, 20R2648
MCB2239250A Inconel ★	Cylinder Head Assembly	Caterpillar®	C15/C18 Inconel Intake/Exhaust	
MCB5413782	Cylinder Head Assembly	Cummins®	ISX Dual Cam	<ul style="list-style-type: none"> • Brand new castings • No core return needed for purchase • One year warranty <p>★ NOW INCLUDING NEW VALVE BRIDGES IN THESE SELECT ASSEMBLIES</p>
MCB5394198	Cylinder Head Assembly	Cummins®	ISX Single Cam	
MCB23525566	Cylinder Head Assembly	Detroit Diesel®	Series 60 (12.7L)	
MCB4730103520	Cylinder Head Assembly	Detroit Diesel®	DD15	
MCB22797841	Cylinder Head Assembly	Volvo®	D13	

® All Manufacturer's names, numbers, and descriptions, are registered trademarks of that respective corporation or entity and do not imply that the item/s are a product of said manufacturer.

**New Cylinder Heads
1 year warranty,
no core**



PARTS • SERVICE • EXPERIENCE • SOLUTIONS



Haldex

SAF Holland

Gunite Autoslack Brake Adjusters

SAF-Holland Announces Acquisition of the Gunite Automatic Slack Adjusters

TOP 12 PART NUMBERS

Gunite P/N	Packaged Weight	Arm Length	Number of Splines	Spline Diameter	Clevis Included	Application
AS1140	8.0	5.5"	28	1.50"	AS3019	All Positions
AS1141	8.0	6.0"	28	1.50"	AS3016	Drive
AS1132	8.0	5.5"	10	1.50"	AS3019	All Positions
AS1133	8.0	6.0"	10	1.50"	AS3016	Drive
AS1136	8.0	5.5"	10	1.25"	AS3019	Front, Dolly
AS1149	8.0	5.5"	28	1.50"	AS3018	Trailer
AS1150	8.0	6.0"	28	1.50"	AS3018	Trailer
AS1138	8.0	5.5"	24	1.25"	AS3019	Front, Dolly
AS1144	8.0	6.0"	37	1.50"	AS3018	Trailer
AS1147	8.0	6.0"	10	1.50"	AS3018	Trailer
AS1172 ⁽¹⁾	8.0	5.5"	28	1.50"	None	All Positions
AS1173 ⁽¹⁾	8.0	6.0"	28	1.50"	None	All Positions



Consult the Gunite Automatic Slack Adjuster parts catalog for Clevis Kit descriptions and Interchange information.

(1) Gunite 2000 - for welded on clevis applications

GUNITE[®]
Automatic
Brake Adjusters

Part Number	Description
AS3000	Clevis Yoke



Point Spring & Driveshaft Co.

Since 1926



TRW/ROSS Reman Steering Gear



Top 5 Movers in 2025

Part No.	Description	Price
RTAS65219R	TRW/ROSS Reman Steering Gear	\$657.99
RTAS65079R	TRW/ROSS Reman Steering Gear	\$657.99
RTAS85052R	TRW/ROSS Reman Steering Gear	\$1,002.99
RTAS65024R	TRW/ROSS Reman Steering Gear	\$657.99

Promotional pricing valid 2/1/2026 - 4/30/2025

POINT SPRING & DRIVESHAFT CO. LOCATIONS

NEVILLE ISLAND, PA
7309 Grand Avenue
Neville Island, PA 15225
Ph: 412-264-6714
Fx: 412-264-6722
(800) 837-4713

NEW CASTLE, PA
1001 Harbor Street
New Castle, PA 16101
Ph: 724-658-9076
Fx: 724-658-8746
(800) 837-8713

TROY, PA
68 Canton Street
Troy, PA 16947
Ph: 570-297-5555
Fx: 570-297-5510
(855) 297-6380

SARVER, PA
555 North Pike Road
Sarver, PA 16055
Ph: 724-352-3340
Fx: 724-352-5311

INDIANA, PA
1849 South Sixth
Street Suite 5
Indiana, PA 15701
Ph: 724-463-3710

GREENSBURG, PA
1967 Route 66
Greensburg, PA 15601
Ph: 724-834-0750
Fx: 724-834-8747
(800) 837-9713

MEADVILLE, PA
11377 Mercer Pike
Meadville, PA 16335
Ph: 814-724-7746
Fx: 814-724-7747
(800) 724-7751

CLEARFIELD, PA
1729 Industrial Park Rd.
P.O. Box 1206
Clearfield, PA 16830
Ph: 814-765-9684
Fx: 814-765-1577
(800) 252-3585

FAIRMONT, WV
274 Van Kirk Drive
Fairmont, WV 26554
Ph: 304-534-3306
Fx: 304-534-5079
(800) 837-1713

AKRON, OH
1250 Triplett Blvd.
Akron, OH 44306
Ph: 330-724-1111
Fx: 330-724-1895
(800) 826-0673



Point Spring & Driveshaft Co.
Since 1926

follow us on social media



Point Spring & Driveshaft Co.



@Pointspring1926